Are you sick today?				
Do you have allergies to medications, food, or any vaccine?				
Have you ever had a serious reaction after receiving a vaccination?				
Do you have a long-term health problem with heart disease, lung disease, asthma	a, 🗆			
	es 🗆 no 🗆			
It is important for you to have a personal record of your vaccinations. If you don' ask your healthcare provider to give you one. Keep this record in a safe place an time you seek medical care. Make sure your healthcare provider records all you	d bring it with	you eve		

vaccination, or for persons with a family history of seizure, vaccinate as usual. A history of Guillain-Barré syndrome (GBS) is a consideration with the following: 1) Td/Tdap: if GBS has occurred within 6 weeks of a tetanuscontaining vaccine and decision is made to continue vaccination, give Tdap instead of Td if no history of prior Tdap; 2) Influenza vaccine (TIV/LAIV): if GBS has occurred within 6 weeks of a prior influenza vaccine, vaccinate with TIV if at high risk for severe influenza complications; 3) MCV4: avoid vaccinating persons unless in recommended risk groups.

8. During the past year, have you received a transfusion of blood or blood products, or been given immune (gamma) globulin or an antiviral drug?

Certain live virus vaccines (e.g., LAIV, MMR, varicella) may need to be deferred, depending on several variables. Consult the most current ACIP recommendations for current information on intervals between antiviral drugs, immune globulin or blood product administration and live virus vaccines. (1)

9. For women: Are you pregnant or is there a chance you could